

Furnish it

Lever | Accessory



Introduction



Available from MB Architectural, the DORMA door furniture portfolio has been restructured under the product brands, Pure, Plus and Premium, allowing the specifier to continue to rely on the quality promise that comes with DORMA door furniture; combined with the benefits of an integral design style throughout the entire building.

1. Pure

A contract range, DORMA Pure handles and knob furniture and accessories are carefully crafted from high grade materials, satisfying exacting demands with respect to stability, safety and corrosion resistance. The Pure range includes the most popular models, all of which have been tested to BS EN1906: Lever handles and knob furniture and are sprung in order to return the lever handle to the horizontal position.

2. Plus

DORMA Plus door furniture satisfies exacting demands with respect to stability, fire resistance, safety and corrosion resistance. Handles in the range have been tested to BS EN1906: Lever handles and knob furniture, BS EN1634-1: Fire resistance tests for doors and shutter assemblies and EN 179: Emergency exit devices operated by a lever handle.

3. Premium

Taken as a whole, the DORMA Premium range is able to meet virtually any design requirement. From the modern to the classic. Premium lever handle designs offer outstanding quality and have been tested to BS EN1906: Lever handles and knob furniture, BS EN1634-1: Fire resistance tests for doors and shutter assemblies and EN 179: Emergency exit devices operated by a lever handle.

MB Architectural is part of Macnaughton Blair Architectural Division. MB Architectural can schedule your project requirements with all items adhering to the latest British and European standards as well as meeting the requirements of building regulations and of course BS 8300.

The Architectural Division specialises in a complete solution, incorporating not just the door furniture but also the mechanical and electrical items required to ensure we meet the buildings design and security needs.

Extensive group wide stocks and our own in-house master keying facility offers the client security and gives us flexibility in meeting the most demanding delivery schedule with a comprehensive range of locking options from entry level through to very high security cylinders.

Also available group wide is the supply and installation of access control and door automation products as well as signage and wayfinding scheduling, anti-ligature hardware, mail systems and bespoke hardware products.

The DORMA range of door furniture is only one aspect of our offer and we would encourage you to contact us or visit our website for further information regarding other ranges and finishes.

www.mbarchitectural.com



Pure



Contract specification range compliant with BS EN 1906 category of use Grade 3. Corrosion resistance Grade 4.

53mm dia rose.

Standard finishes:
Satin stainless steel.
Aluminium.

Pure 8100
Lever handle on rose.
(20mm stainless steel).
(22mm aluminium).



Pure 8906
Lever handle on rose.
(20mm)

Pure 8998
Lever handle on rose.

Pure 3020
50mm dia fixed knob furniture.



Pure 6612
53mm dia euro profile escutcheon.

Pure 7122
53mm dia standard bathroom thumbturn and indicator with emergency release set.

Plus





Standard specification range compliant with BS EN 1906 category of use Grade 4. Corrosion resistance Grade 4.

F EN1634-1: Fire resistance tests for door and shutter assemblies.
DIN 18273: Lever handle units for fire doors and smoke control doors.

E EN179: Emergency exit devices operated by a lever handle or push pad.

53mm dia rose.

Standard finishes:
Satin stainless steel.
Aluminium.



Plus 8100

Lever handle on rose.
(20mm stainless steel).
(22mm aluminium).

Plus 8906


Lever handle on rose.
(20mm)

Plus 8998

Lever handle on rose.

Plus 3020

50mm dia fixed knob furniture.






Plus 6612

53mm dia euro profile escutcheon.

Plus 7122

53mm dia standard bathroom thumbturn and indicator with emergency release set.

Premium



High specification range compliant with BS EN 1906 category of use Grade 4. Corrosion resistance Grade 4.

F EN1634-1: Fire resistance tests for door and shutter assemblies.
DIN 18273: Lever handle units for fire doors and smoke control doors.

E EN179: Emergency exit devices operated by a lever handle or push pad.

55mm dia rose.

Standard finishes:
Satin stainless steel.
Aluminium.

Premium 8100

Lever handle on rose.
(20mm stainless steel).
(22mm aluminium).

Premium 8101

Lever handle on rose.
(20mm stainless steel).
(22mm aluminium).

Premium 8103

Lever handle on rose.
(20mm stainless steel only).

Premium 8106

Lever handle on rose.
(aluminium only).

Premium 8056

Lever handle on rose.
(aluminium only).

Premium 8111

Lever handle on rose.
(20mm stainless steel only).


Premium 8030

Lever handle on rose.
(20mm stainless steel and aluminium).

Premium 8140

Lever handle on rose.
(20mm stainless steel only).

Premium



High specification range compliant with BS EN 1906 category of use Grade 4. Corrosion resistance Grade 4.

F EN1634-1: Fire resistance tests for door and shutter assemblies.
DIN 18273: Lever handle units for fire doors and smoke control doors.

E EN179: Emergency exit devices operated by a lever handle or push pad.

55mm dia rose.

Standard finishes:
Satin stainless steel.
Aluminium.

Premium 8141
Lever handle on rose.
(20mm stainless steel only).

Premium 8155
Lever handle on rose.
(20mm stainless steel).
(22mm aluminium).

Premium 8156
Lever handle on rose.
(20mm stainless steel only).

Premium 8200
Lever handle on rose.
(stainless steel only).



Premium 8350
Lever handle on rose.
(20mm stainless steel).
(22mm aluminium).

Premium 8353
Lever handle on rose.
(22mm stainless steel only).

Premium 8354
Lever handle on rose.
(22mm stainless steel and aluminium).

Premium 8437
Lever handle on rose.
(aluminium only).

Premium



High specification range compliant with BS EN 1906 category of use Grade 4. Corrosion resistance Grade 4.

F EN1634-1: Fire resistance tests for door and shutter assemblies.
DIN 18273: Lever handle units for fire doors and smoke control doors.

E EN179: Emergency exit devices operated by a lever handle or push pad.

55mm dia rose.

Standard finishes:
Satin stainless steel.
Aluminium.

Premium 8526

Lever handle on rose.
(stainless steel and aluminium).

Premium 8527

Lever handle on rose.
(stainless steel and aluminium).

Premium 8810

Lever handle on rose.
(20mm stainless steel and aluminium).

Premium 8811

Lever handle on rose.
(20mm stainless steel and aluminium).

Premium 8015

Lever handle on rose.
(20mm stainless steel and aluminium).

Premium 8825

Lever handle on rose.
(20mm stainless steel and aluminium).

Premium 8826

Lever handle on rose.
(20mm stainless steel only).

Premium 8830

Lever handle on rose.
(stainless steel and aluminium).

Premium



High specification range compliant with BS EN 1906 category of use Grade 4. Corrosion resistance Grade 4.

F EN1634-1: Fire resistance tests for door and shutter assemblies.
DIN 18273: Lever handle units for fire doors and smoke control doors.

E EN179: Emergency exit devices operated by a lever handle or push pad.

55mm dia rose.

Standard finishes:
Satin stainless steel.
Aluminium.

Premium 8860

Lever handle on rose.
(aluminium only).

Premium 8870

Lever handle on rose.
(stainless steel only).

Premium 8871

Lever handle on rose.
(stainless steel only).

Premium 8880

Lever handle on rose.
(stainless steel only).

Premium 8906

Lever handle on rose.
(20mm stainless steel).
(22mm aluminium).

Premium 8907

Lever handle on rose.
(20mm stainless steel).
(22mm aluminium).

Premium 8910

Lever handle on rose.
(22mm stainless steel only).

Premium 8928

Lever handle on rose.
(aluminium only).

Premium



High specification range compliant with BS EN 1906 category of use Grade 4. Corrosion resistance Grade 4.

F EN1634-1: Fire resistance tests for door and shutter assemblies.
DIN 18273: Lever handle units for fire doors and smoke control doors.

E EN179: Emergency exit devices operated by a lever handle or push pad.

55mm dia rose.

Standard finishes:
Satin stainless steel.
Aluminium.

Premium 8940
Lever handle on rose.
(stainless steel and aluminium).

Premium 8968
Lever handle on rose.
(aluminium only).

Premium 8972
Lever handle on rose.
(stainless steel and aluminium).

Premium 8974
Lever handle on rose.
(aluminium only).

Premium 8990
Lever handle on rose.
(stainless steel only).

Premium 8991
Lever handle on rose.
(stainless steel only).

Premium 8998
Lever handle on rose.
(stainless steel and aluminium).

Premium 8999
Lever handle on rose.
(stainless steel and aluminium).

Premium



High specification range compliant with BS EN 1906 category of use Grade 4. Corrosion resistance Grade 4.

F EN1634-1: Fire resistance tests for door and shutter assemblies.
DIN 18273: Lever handle units for fire doors and smoke control doors.

55mm dia rose.

Standard finishes:
Satin stainless steel.
Aluminium.



Premium 3020 N

50mm dia fixed knob furniture. (stainless steel and aluminium).

Premium 3020 A N

50mm dia fixed knob furniture. (stainless steel only).

Premium 3548 N

50mm dia fixed knob furniture. (stainless steel and aluminium).

Premium 3548 V N

50mm dia fixed knob furniture. (stainless steel and aluminium).

Premium 6621

55mm dia euro profile escutcheon.

Premium 7721

55mm dia standard bathroom thumbturn and indicator with emergency release set.





Belfast

Architectural Ironmongery | Access Control | Door Automation

MB Architectural
14a Falcon Road
BELFAST
BT12 6RD
T: 028 9038 0200
F: 028 9038 0201
E: ask@mbarchitectural.com

www.mbarchitectural.com
